

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
Enteral Nutrition OTC products are only covered for clients under the age of 21. * Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription. **For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.	Legend/ OTC	Malignant neoplasm of glottis	C320
		Malignant neoplasm of supraglottis	C321
		Malignant neoplasm of subglottis	C322
		Malignant neoplasm of laryngeal cartilage	C323
		Malignant neoplasm of overlapping sites of larynx	C328
		Malignant neoplasm of larynx, unspecified	C329
		Malignant neoplasm of mandible	C411
		Malignant neoplasm of cerebrum, except lobes and ventricles	C710
		Malignant neoplasm of frontal lobe	C711
		Malignant neoplasm of temporal lobe	C712
		Malignant neoplasm of parietal lobe	C713
		Malignant neoplasm of occipital lobe	C714
		Malignant neoplasm of cerebral ventricle	C715
		Malignant neoplasm of cerebellum	C716
		Malignant neoplasm of brain stem	C717
		Malignant neoplasm of overlapping sites of brain	C718
		Malignant neoplasm of brain, unspecified	C719
		Malignant neoplasm of head, face and neck	C760
		Multifocal and unisystemic Langerhans-cell histiocytosis	C965
		Unifocal Langerhans-cell histiocytosis	C966
		Adenosine deaminase [ADA] deficiency	D813
		Purine nucleoside phosphorylase [PNP] deficiency	D815
		Biotinidase deficiency	D81810
		Defects in the complement system	D841
		Myxedema coma	E035
		Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy	E0843
		Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy	E0943
		Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy	E1043
		Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy	E1143
		Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy	E1343
		Classical phenylketonuria	E700
		Other hyperphenylalaninemias	E701
		Long chain/very long chain acyl CoA dehydrogenase deficiency	E71310
		Medium chain acyl CoA dehydrogenase deficiency	E71311
		Short chain acyl CoA dehydrogenase deficiency	E71312
		Glutaric aciduria type II	E71313
		Muscle carnitine palmitoyltransferase deficiency	E71314
Other disorders of fatty-acid oxidation	E71318		
Disorders of ketone metabolism	E7132		
Other disorders of fatty-acid metabolism	E7139		
Disorder of carnitine metabolism, unspecified	E7140		
Primary carnitine deficiency	E7141		
Carnitine deficiency due to inborn errors of metabolism	E7142		
Inborn carnitine deficiency	E7143		

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>Enteral Nutrition</p> <p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	<p>Legend/ OTC</p>	Ruvalcaba-Myhre-Smith syndrome	E71440
		Other secondary carnitine deficiency	E71448
		Peroxisomal disorder, unspecified	E7150
		Zellweger syndrome	E71510
		Neonatal adrenoleukodystrophy	E71511
		Other disorders of peroxisome biogenesis	E71518
		Childhood cerebral X-linked adrenoleukodystrophy	E71520
		Adolescent X-linked adrenoleukodystrophy	E71521
		Adrenomyeloneuropathy	E71522
		Other X-linked adrenoleukodystrophy	E71528
		X-linked adrenoleukodystrophy, unspecified type	E71529
		Other group 2 peroxisomal disorders	E7153
		Rhizomelic chondrodysplasia punctata	E71540
		Zellweger-like syndrome	E71541
		Other group 3 peroxisomal disorders	E71542
		Other peroxisomal disorders	E71548
		Other disorders of amino-acid transport	E7209
		Disorder of urea cycle metabolism, unspecified	E7220
		Argininemia	E7221
		Arginosuccinic aciduria	E7222
		Citrullinemia	E7223
		Other disorders of urea cycle metabolism	E7229
		Disorders of ornithine metabolism	E724
		Disorders of gamma aminobutyric acid metabolism	E7281
		Other specified disorders of amino-acid metabolism	E7289
		Congenital lactase deficiency	E730
		Secondary lactase deficiency	E731
		Other lactose intolerance	E738
		Lactose intolerance, unspecified	E739
		Sucrase-isomaltase deficiency	E7431
		Other disorders of intestinal carbohydrate absorption	E7439
		Hurler's syndrome	E7601
		Hurler-Scheie syndrome	E7602
		Scheie's syndrome	E7603
		Mucopolysaccharidosis, type II	E761
		Morquio A mucopolysaccharidoses	E76210
		Morquio B mucopolysaccharidoses	E76211
		Morquio mucopolysaccharidoses, unspecified	E76219
		Sanfilippo mucopolysaccharidoses	E7622
		Other mucopolysaccharidoses	E7629
		Mucopolysaccharidosis, unspecified	E763
		Other disorders of glucosaminoglycan metabolism	E768
		Glucosaminoglycan metabolism disorder, unspecified	E769
		Lesch-Nyhan syndrome	E791
		Myoadenylate deaminase deficiency	E792

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	<p>Legend/ OTC</p>	Other disorders of purine and pyrimidine metabolism	E798
		Disorder of purine and pyrimidine metabolism, unspecified	E799
		Hereditary erythropoietic porphyria	E800
		Porphyria cutanea tarda	E801
		Unspecified porphyria	E8020
		Acute intermittent (hepatic) porphyria	E8021
		Other porphyria	E8029
		Defects of catalase and peroxidase	E803
		Gilbert syndrome	E804
		Crigler-Najjar syndrome	E805
		Other disorders of bilirubin metabolism	E806
		Disorder of bilirubin metabolism, unspecified	E807
		Cystic fibrosis with pulmonary manifestations	E840
		Meconium ileus in cystic fibrosis	E8411
		Cystic fibrosis with other intestinal manifestations	E8419
		Cystic fibrosis with other manifestations	E848
		Cystic fibrosis, unspecified	E849
		Non-neuropathic hereditary amyloidosis	E850
		Neuropathic hereditary amyloidosis	E851
		Hereditary amyloidosis, unspecified	E852
		Secondary systemic amyloidosis	E853
		Organ-limited amyloidosis	E854
		Wild-type transthyretin-related (ATTR) amyloidosis	E8582
		Other amyloidosis	E8589
		Amyloidosis, unspecified	E859
		Alpha-1-antitrypsin deficiency	E8801
		Other disorder of plasma-protein metabolism, not elsewhere classified	E8809
		Lipodystrophy, Not elsewhere classified	E881
		Lipomatosis, not elsewhere classified	E882
		Tumor lysis syndrome	E883
		Mitochondrial metabolism disorder, unspecified	E8840
		MELAS syndrome	E8841
		MERRF syndrome	E8842
		Other mitochondrial metabolism disorders	E8849
		Metabolic syndrome	E8881
		Other specified metabolic disorders	E8889
		Metabolic disorder, unspecified	E889
		Parkinson's disease	G20
		Vascular parkinsonism	G214
		Lesion of femoral nerve, unspecified lower limb	G5720
		Lesion of femoral nerve, right lower limb	G5721
		Lesion of femoral nerve, left lower limb	G5722
		Hereditary motor and sensory neuropathy	G600
		Refsum's disease	G601
		Neuropathy in association with hereditary ataxia	G602
		Idiopathic progressive neuropathy	G603

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	Legend/ OTC	Other hereditary and idiopathic neuropathies	G608
		Hereditary and idiopathic neuropathy, unspecified	G609
		Myasthenia gravis without (acute) exacerbation	G7000
		Myasthenia gravis with (acute) exacerbation	G7001
		Kearns-Sayre syndrome, right eye	H49811
		Kearns-Sayre syndrome, left eye	H49812
		Kearns-Sayre syndrome, bilateral	H49813
		Kearns-Sayre syndrome, unspecified eye	H49819
		Other diseases of pharynx	J392
		Esophageal obstruction	K222
		Acute gastritis without bleed	K2900
		Functional dyspepsia	K30
		Other diseases of stomach and duodenum	K31
		Acute dilatation of stomach	K310
		Achlorhydria	K3183
		Gastroparesis	K3184
		Other diseases of stomach and duodenum	K3189
		Disease of stomach and duodenum, unspecified	K319
		Crohn's disease of small intestine without complications	K5000
		Crohn's disease of small intestine with rectal bleeding	K50011
		Crohn's disease of small intestine with intestinal obstruction	K50012
		Crohn's disease of small intestine with fistula	K50013
		Crohn's disease of large intestine without complications	K5010
		Crohn's disease of large intestine with rectal bleeding	K50111
		Crohn's disease of large intestine with intestinal obstruction	K50112
		Crohn's disease of large intestine with fistula	K50113
		Crohn's disease of large intestine with abscess	K50114
		Crohn's disease of large intestine with other complication	K50118
		Crohn's disease of large intestine with unspecified complications	K50119
		Crohn's disease of both small and large intestine without complications	K5080
		Crohn's disease of both small and large intestine with rectal bleeding	K50811
		Crohn's disease of both small and large intestine with intestinal obstruction	K50812
		Crohn's disease of both small and large intestine with fistula	K50813
		Crohn's disease of both small and large intestine with abscess	K50814
		Crohn's disease of both small and large intestine with other complication	K50818
		Crohn's disease of both small and large intestine with unspecified complications	K50819
		Crohn's disease, unspecified, without complications	K5090
		Crohn's disease, unspecified, with rectal bleeding	K50911
		Crohn's disease, unspecified, with intestinal obstruction	K50912
		Crohn's disease, unspecified, with fistula	K50913
		Crohn's disease, unspecified, with abscess	K50914
		Ulcerative (chronic) pancolitis with fistula	K51013
		Ulcerative (chronic) proctitis with fistula	K51213
Ulcerative (chronic) rectosigmoiditis with fistula	K51313		
Inflammatory polyps of colon with fistula	K51413		

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	Legend/ OTC	Left sided colitis with fistula	K51513
		Other ulcerative colitis with fistula	K51813
		Ulcerative colitis, unspecified with fistula	K51913
		Other specified noninfective gastroenteritis and colitis	K5289
		Noninfective gastroenteritis and colitis, unspecified	K529
		Partial intestinal obstruction unspecified as to cause	K56600
		Complete intestinal obstruction unspecified as to cause	K56601
		Unspecified intestinal obstruction unspecified as to partial versus complete obstruction	K56609
		Anal fistula	K603
		Rectal fistula	K604
		Anorectal fistula	K605
		Fistula of intestine	K632
		Other intestinal malabsorption	K90.8
		Other intestinal malabsorption	K90.89
		Celiac disease	K900
		Tropical sprue	K901
		Blind loop syndrome, not elsewhere classified	K902
		Pancreatic steatorrhea	K903
		Malabsorption due to intolerance, not elsewhere classified	K9049
		Other intestinal malabsorption	K9089
		Intestinal malabsorption, unspecified	K909
		Postsurgical malabsorption, not elsewhere classified	K912
		Acute nephritic syndrome with minor glomerular abnormality	N000
		Acute nephritic syndrome with focal and segmental glomerular lesions	N001
		Acute nephritic syndrome with diffuse membranous glomerulonephritis	N002
		Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis	N003
		Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis	N004
		Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis	N005
		Acute nephritic syndrome with dense deposit disease	N006
		Acute nephritic syndrome with diffuse crescentic glomerulonephritis	N007
		Acute nephritic syndrome with other morphologic changes	N008
Acute nephritic syndrome with unspecified morphologic changes	N009		
Rapidly progressive nephritic syndrome with minor glomerular abnormality	N010		
Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions	N011		
Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis	N012		
Rapidly progressive nephritic syndrome with diffuse mesangial proliferative glomerulonephritis	N013		
Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis	N014		
Rapidly progressive nephritic syndrome with diffuse mesangiocapillary glomerulonephritis	N015		
Rapidly progressive nephritic syndrome with dense deposit disease	N016		
Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis	N017		
Rapidly progressive nephritic syndrome with other morphologic changes	N018		
Rapidly progressive nephritic syndrome with unspecified morphologic changes	N019		
Glomerular disorders in diseases classified elsewhere	N08		
Asphyxia	R09.01		
Hypoxenia	R09.02		
Respiratory arrest	R092		
Vomiting, unspecified	R1110		

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	Legend/ OTC	Nausea with vomiting, unspecified	R112
		Aphagia	R130
		Dysphagia, unspecified	R1310
		Dysphagia, oral phase	R1311
		Dysphagia, oropharyngeal phase	R1312
		Dysphagia, pharyngeal phase	R1313
		Dysphagia, pharyngoesophageal phase	R1314
		Other dysphagia	R1319
		Somnolence	R400
		Stupor	R401
		Unspecified coma	R4020
		Coma scale, eyes open, never, unspecified time	R402110
		Coma scale, eyes open, never, in the field [EMT or ambulance]	R402111
		Coma scale, eyes open, never, at arrival to emergency department	R402112
		Coma scale, eyes open, never, at hospital admission	R402113
		Coma scale, eyes open, never, 24 hours or more after hospital admission	R402114
		Coma scale, eyes open, to pain, unspecified time	R402120
		Coma scale, eyes open, to pain, in the field [EMT or ambulance]	R402121
		Coma scale, eyes open, to pain, at arrival to emergency department	R402122
		Coma scale, eyes open, to pain, at hospital admission	R402123
		Coma scale, eyes open, to pain, 24 hours or more after hospital admission	R402124
		Coma scale, best verbal response, none, unspecified time	R402210
		Coma scale, best verbal response, none, in the field [EMT or ambulance]	R402211
		Coma scale, best verbal response, none, at arrival to emergency department	R402212
		Coma scale, best verbal response, none, at hospital admission	R402213
		Coma scale, best verbal response, none, 24 hours or more after hospital admission	R402214
		Coma scale, best verbal response, incomprehensible words, unspecified time	R402220
		Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]	R402221
		Coma scale, best verbal response, incomprehensible words, at arrival to emergency department	R402222
		Coma scale, best verbal response, incomprehensible words, at hospital admission	R402223
		Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission	R402224
		Coma scale, best motor response, none, unspecified time	R402310
		Coma scale, best motor response, none, in the field [EMT or ambulance]	R402311
		Coma scale, best motor response, none, at arrival to emergency department	R402312
		Coma scale, best motor response, none, at hospital admission	R402313
		Coma scale, best motor response, none, 24 hours or more after hospital admission	R402314
		Coma scale, best motor response, extension, unspecified time	R402320
		Coma scale, best motor response, extension, in the field [EMT or ambulance]	R402321
		Coma scale, best motor response, extension, at arrival to emergency department	R402322
		Coma scale, best motor response, extension, at hospital admission	R402323
		Coma scale, best motor response, extension, 24 hours or more after hospital admission	R402324
		Coma scale, best motor response, flexion withdrawal, unspecified time	R402340
		Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]	R402341
Coma scale, best motor response, flexion withdrawal, at arrival to emergency department	R402342		
Coma scale, best motor response, flexion withdrawal, at hospital admission	R402343		

HUSKY Health ICD-10 Diagnosis List For Enteral Nutrition

Therapeutic Class	Drug Class	Diagnosis Description	Diagnosis Code
<p>OTC products are only covered for clients under the age of 21.</p> <p>* Enteral Products for clients 21 and older are only covered when the client meets the diagnosis requirement and the diagnosis is included in the prescriber's file and documented on the prescription.</p> <p>**For enteral nutritional products exceeding 21,600 ml in a 30 day period the following high caloric need diagnosis codes may be used.</p>	Legend/ OTC	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission	R402344
		Frontal lobe and executive function deficit	R41844
		Other symptoms and signs involving cognitive functions and awareness	R4189
		Other malaise	R5381
		Unspecified lack of expected normal physiological development in childhood	R6250
		Failure to thrive (child)	R6251
		Oth lack of expected normal physiol development in childhood	R6259
		Abnormal weight loss	R634
		Underweight	R636
		Anorexia	R630
		Polydipsia	R631
		Polyphagia	R632
		Feeding difficulties	R633
		Abnormal weight gain	R635
		Other symptoms and signs concerning food and fluid intake	R638
		Cachexia	R64
		Illness, unspecified	R69
		Ill-defined and unknown cause of mortality	R99
		Allergy to milk products	Z91011
		Gastrostomy status	Z931
Other artificial openings of gastrointestinal tract status	Z934		

* Enteral Tube Feeding
Age 21 and older

** High Caloric > 21,600ml

Both